




RFID

AVERY DENNISON RFID SOLUTIONS

EXPERIENCE. SUPPORT. SOLUTIONS.



WHY CHOOSE AVERY DENNISON RFID?

When you choose Avery Dennison RFID, you get field-proven inlay products, advanced research and testing capabilities, experienced engineering and technical resources, and, most importantly, a partner with a deep understanding of what it takes to make your application successful.

When you choose Avery Dennison RFID, you get the benefit of our relationships with best-in-class chip and reader manufacturers, label and tag converters and systems integrators across the globe – to support the most challenging RFID projects.

When you choose Avery Dennison RFID, you get solutions to application challenges such as materials, environments and packaging.

Every day Avery Dennison RFID enables improvements in tracking, authentication, access and data capture applications such as:

- Supply chain, inventory and logistics
- Pharmaceutical and healthcare
- Library, media, documents and files
- Contactless cards and tickets
- Industrial and manufacturing
- Brand protection and product authentication
- Apparel and other item-level retail

And new applications emerge every day. One could be yours.









CHOOSE AVERY DENNISON RFID.

EXPERIENCE. SUPPORT. SOLUTIONS.

Innovation is at the core of what we do. Even if you don't see a product that fits your immediate needs, we may have other chip configurations or inlay sizes available. To find out more, please contact us by phone at 866-903-RFID (7343)/+1-770-965 0807 or email at rfid.info@averydennison.com.

UHF RFID INLAYS








860-960 MHz, ISO-18000-6C, EPC Class 1 Gen 2

NAME	SIZE	CHIP	MEMORY	COMMON APPLICATIONS
 AD-160u7	2.36 x 0.158 in 60 x 4 mm	NXP UCODE 7	128 bits w/TID**	<ul style="list-style-type: none"> • Cosmetic and Item-level retail • Personal Care Products
 AD-171m5	1.06 x 0.55 in 27 x 14mm	Impinj® Monza® 5	128 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and other item-level retail • Pharmaceutical and healthcare
 AD-172u7	0.87 x 0.49 in 22 x 12.5 mm	NXP UCODE 7	128 bits w/TID**	<ul style="list-style-type: none"> • Jewelry • Supply chain, inventory and logistics
 AD-180u7	1.02 in Diameter 26 mm Diameter	NXP UCODE 7	128 bits w/TID**	<ul style="list-style-type: none"> • Cosmetic and Item-level retail
 AD-226iM	3.74 x 0.32 in 95 x 8.15 mm	NXP UCODE G2iL	256 bits w/TID** 512 bit User Memory	<ul style="list-style-type: none"> • Supply chain, inventory and logistics • Apparel and other item-level retail • Returnable transport units (RTUs)
 AD-227m5	3.74 x 0.33 in 95 x 8.3 mm	Impinj® Monza® 5	128 bits w/TID**	<ul style="list-style-type: none"> • Supply chain, inventory and logistics • Apparel and other item-level retail • Returnable transport units (RTUs)
 AD-233m5	2.76 x 0.57 in 70 x 14.5 mm	Impinj® Monza® 5	128 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics
 AD-236u7	2.76 x 0.57 in 70 x 14.5 mm	NXP UCODE 7	128 bit w/TID**	<ul style="list-style-type: none"> • Apparel and other item-level retail

*TID Memory = 64-bit includes 32-bit unique serial number. **TID Memory = 96-bit includes 48-bit unique serial number.

UHF RFID INLAYS

860-960 MHz, ISO-18000-6C, EPC Class 1 Gen 2

NAME	SIZE	CHIP	MEMORY	COMMON APPLICATIONS
AD-237r6 	2.76 x 0.57 in 70 x 14.5 mm	Impinj® Monza® 6	96 bit w/TID***	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics
AD-318m5 	1.63 x 0.63 in 41.4 x 16 mm	Impinj® Monza® 5	128 bit w/TID**	<ul style="list-style-type: none"> • Apparel and Retail
AD-319eM 	1.63 x 0.63 in 41.4 x 16 mm	EM Microelectronic EM4124	96 bit w/TID***	<ul style="list-style-type: none"> • Apparel and Retail Industrial
AD-320u7 	1.63 x 0.63 in 41.4 x 16 mm	NXP UCODE 7	128 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and retail
AD-321r6 	1.63 x 0.63 in 41.4 x 16 mm	Impinj® Monza® r6	96 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics • Pharmaceutical and healthcare
AD-370u7 	0.75 x 2.09 in 19 x 53 mm	NXP UCODE 7	128 bit w/TID**	<ul style="list-style-type: none"> • Apparel and Retail
AD-380iL 	1.97 x 1.18 in 50 x 30 mm	NXP UCODE G2iL	128 bits w/TID*	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics • Library, media, documents and files
AD-381m5 	1.97 x 1.18 in 50 x 30 mm	Impinj® Monza®5	128 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and retail • Supply chain, inventory and logistics • Library, media, documents and files
AD-383u7 	1.97 x 1.18 in 50 x 30 mm	NXP UCODE 7	128 bits w/TID*	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics • Library, media, documents and files
AD-550m5 	1.50 x 2.99 in 38 x 76mm	Impinj® Monza®5	128 bit w/ TID**	<ul style="list-style-type: none"> • Apparel and other item-level retail • Supply chain, inventory and logistics • Pharmaceutical and healthcare
AD-661r6 	3.55 x 0.75 in 90 x 19 mm	Impinj® Monza® r6	96 bit w/TID**	<ul style="list-style-type: none"> • Automotive • Glass • Race Timing
AD-806u7 	0.63 x 0.63 in 16 x 16mm	NXP UCODE 7	128 bit w/ TID**	<ul style="list-style-type: none"> • Healthcare and item-level • Supply chain, inventory and logistics

*TID Memory = 64-bit includes 32-bit unique serial number.




Drawings not to scale. The chart contained herein is only intended as a suggestive guide for preliminary inlay selection.

Please refer to www.rfid.averydennison.com for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

© 2015 Avery Dennison Corporation. All rights reserved. Sloop, Fasson and all other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation. Third party trademarks and tradenames are used herein and are property of their respective owners.



HF RFID INLAYS

13.56 MHz, ISO-15693, 18000-3 Mode 1

NAME	SIZE	CHIP	USER MEMORY	COMMON APPLICATIONS
AD-709x 	1.85 x 1.85 in 47 x 47 mm	NXP ICODE SLIX	896 bits EEPROM Read/Write	<ul style="list-style-type: none"> Library, media, documents and files
AD-714x 	1.77 x 3 in 45 x 76 mm	NXP ICODE SLIX	896 bits EEPROM Read/Write	<ul style="list-style-type: none"> Contactless cards and tickets Library, media, documents and files
AD-730x 	1.22 x .55 in 31 x 14 mm	NXP ICODE SLIX	896 bits EEPROM Read/Write	<ul style="list-style-type: none"> Pharmaceutical and healthcare

NFC RFID INLAYS

13.56 MHz, ISO-14443, Type A

NAME	SIZE	CHIP	USER MEMORY	COMMON APPLICATIONS
AD-721 	0.827 in (diameter) 21 mm (diameter)	NXP NTAG213	144 bytes Read/Write	<ul style="list-style-type: none"> Posters, promotions and packaging
AD-740 	1.50 x 0.89 in 38 x 22.5 mm	NXP Ultralight EV1	384 bits Read/Write	<ul style="list-style-type: none"> Posters, promotions and packaging

AUBURN UNIVERSITY ARC APPROVED INLAY DESIGNS

MODEL #	CAT A DENIM	CAT B POLYBAGGED APPAREL	CAT C BOXED ELECTRONICS	CAT D HANGING APPAREL	CAT E VERY LARGE BOXED ITEMS	CAT I DENIM & POLYBAGGED APPAREL (ETSI)	CAT K SMALL APPAREL (ETSI)	SPEC F	SPEC G	SPEC M	SPEC N
AD-227m5	X	X	X	X	X	X	X	X	X	X	X
AD-233m5	X	X	X	X				X	X	X	X
AD-236u7	X	X	X	X		X	X	X	X	X	X
AD-237r6	X	X	X	X		X	X	X	X	X	X
AD-318m5										X	
AD-319eM							X				
AD-320u7	X	X		X					X	X	
AD-321r6	X	X		X					X		
AD-370u7	X	X		X							
AD-380iL	X	X		X				X	X	X	
AD-381m5	X	X		X		X	X	X	X	X	
AD-383u7	X	X	X	X		X	X	X	X	X	
AD-550m5					X						

Avery Dennison RFID
 Americas • Europe • Asia Pacific
 866-903-RFID (7343) • +1-770-965-0807
 rfid.info@averydennison.com
rfid.averydennison.com



RFID